

SIEGEL RESIDENCE ALTERATIONS

Irvington, New York

August 9, 2022

WINDOW SPECIFICATIONS

**SIEGEL RESIDENCE ALTERATIONS
30 LEWIS ROAD
IRVINGTON, NY**

OWNER

JONATHAN and JUDY SIEGEL
30 LEWIS ROAD
IRVINGTON, NEW YORK 10533

ARCHITECT

NEIL HAUCK ARCHITECTS LLC
859 POST ROAD
DARIEN, CONNECTICUT 06820
(203) 655-9340 (Phone)

SIEGEL RESIDENCE ALTERATIONS

Irvington, New York

August 9, 2022

DIVISION 8 – WINDOWS

PART ONE – GENERAL

1.01 GENERAL CONDITIONS

The General Conditions of the Contract for Construction (AIA Document A 104-Current Edition) shall apply to all Divisions of the Specifications except as may be modified by this Division of the Specifications.

1.02 SCOPE OF WORK

The scope of this Division shall include the following:

- a. Windows

1.03 SUBMITTALS

The Contractor shall submit shop drawings for review and approval by the Architect prior to placing the final orders to these items.

PART TWO – MATERIALS

2.01 WINDOWS

The Contractor shall furnish and install all windows as specified in the *Window Schedule* on Drawing A-101. These shall be as follows:


Wood Double Hung:	“Wood Ultimate Double Hung G2” line Jamb Thickness: 6-9/16” (verify in field) Glazing: Low E II w/ argon gas Grille Option: 7/8” Simulated Divided Lite (SDL) w/ spacer bars Interior Finish: Factory-primed (“Stone White”) Exterior Finish: Factory-primed (“Evergreen”) Hardware: Standard sash lock and sash lift (Finish: Unlacquered Brass) Screens: Full screens with standard aluminum frames (color: “Evergreen” with “Charcoal High Transparency Mesh”) Exterior Casings: Field-applied Interior Casings: Field-applied
-------------------	---

SIEGEL RESIDENCE ALTERATIONS

Irvington, New York


August 9, 2022

- Wood Fixed Casement: "Wood Ultimate Casement" line
Jamb Thickness: 6-9/16" (verify in field)
Glazing: Low E II w/ argon gas
Grille Option: 7/8" Simulated Divided Lite (SDL) w/ spacer bars
Interior Finish: Factory-primed ("Stone White")
Exterior Finish: Factory-primed ("Evergreen")
Exterior Casings: Field-applied
Interior Casings: Field-applied
- Wood Fixed Transoms: "Wood Ultimate Double-Hung Transom" line
Jamb Thickness: 6-9/16" (verify in field)
Glazing: Low E II w/ argon gas
Grille Option: 7/8" Simulated Divided Lite (SDL) w/ spacer bars
Interior Finish: Factory-primed ("Stone White")
Exterior Finish: Factory-primed ("Evergreen")
Exterior Casings: Field-applied
Interior Casings: Field-applied
- Tempered Glass: All glazing within 18" of finished floor, window seats, etc. shall be tempered safety glass (as required by code).
- Jamb Extensions: As required to suit job conditions
- Exterior Casings: Consult drawings for specific casing details, particularly where several windows are mulled together. Where a continuous frieze board also serves as a top casing for a window or door unit, these units shall be ordered without head casings.




Factory-mulled, if possible.

Window Types 101/102, 103/104, 105/106



Factory-mull transom to window,
if possible

Window Types 107/108 and 109/110



Window Types 111 and 112

Note: Custom-sized picture units
w/ diamond muntin pattern
to match existing windows
being replaced.

DOUBLE HUNG G2

MO (mm) 1'-9 3/4 (552)
RO (mm) 1'-10 1/4 (565)
FS (mm) 1'-9 1/4 (540)
DLO (mm) 14 47/64 (347)



UDHG2 1612

2-1 3/4 (654)
2-2 1/4 (667)
2-1 1/4 (641)
18 47/64 (476)



UDHG2 2012

2-5 3/4 (756)
2-6 1/4 (768)
2-5 1/4 (743)
22 47/64 (577)



UDHG2 2412

2-7 3/4 (806)
2-8 1/4 (819)
2-7 1/4 (794)
24 47/64 (628)



UDHG2 2612

2-9 3/4 (857)
2-10 1/4 (870)
2-9 1/4 (845)
26 47/64 (679)



UDHG2 2812

2-11 3/4 (908)
3-0 1/4 (921)
2-11 1/4 (895)
28 47/64 (730)



UDHG2 3012

2-11 3/4 (908)
3-0 1/4 (921)
2-11 1/2 (902)
12 3/4 (324)



UDHG2 1614

2-11 3/4 (908)
3-0 1/4 (921)
2-11 1/2 (902)
12 3/4 (324)



UDHG2 2014

2-11 3/4 (908)
3-0 1/4 (921)
2-11 1/2 (902)
12 3/4 (324)



UDHG2 2414

2-11 3/4 (908)
3-0 1/4 (921)
2-11 1/2 (902)
12 3/4 (324)



UDHG2 2614

2-11 3/4 (908)
3-0 1/4 (921)
2-11 1/2 (902)
12 3/4 (324)



UDHG2 2814

2-11 3/4 (908)
3-0 1/4 (921)
2-11 1/2 (902)
12 3/4 (324)



UDHG2 3014

3-3 3/4 (1010)
3-4 (1018)
3-3 1/2 (1003)
14 3/4 (375)



UDHG2 1616

3-3 3/4 (1010)
3-4 (1018)
3-3 1/2 (1003)
14 3/4 (375)



UDHG2 2016

3-3 3/4 (1010)
3-4 (1018)
3-3 1/2 (1003)
14 3/4 (375)



UDHG2 2416

3-3 3/4 (1010)
3-4 (1018)
3-3 1/2 (1003)
14 3/4 (375)



UDHG2 2616

3-3 3/4 (1010)
3-4 (1018)
3-3 1/2 (1003)
14 3/4 (375)



UDHG2 2816

3-3 3/4 (1010)
3-4 (1018)
3-3 1/2 (1003)
14 3/4 (375)



UDHG2 3016

3-7 3/4 (1111)
3-8 (1118)
3-7 1/2 (1105)
16 3/4 (425)



UDHG2 1618

3-7 3/4 (1111)
3-8 (1118)
3-7 1/2 (1105)
16 3/4 (425)



UDHG2 2018

3-7 3/4 (1111)
3-8 (1118)
3-7 1/2 (1105)
16 3/4 (425)



UDHG2 2418

3-7 3/4 (1111)
3-8 (1118)
3-7 1/2 (1105)
16 3/4 (425)



UDHG2 2618

3-7 3/4 (1111)
3-8 (1118)
3-7 1/2 (1105)
16 3/4 (425)



UDHG2 2818

3-7 3/4 (1111)
3-8 (1118)
3-7 1/2 (1105)
16 3/4 (425)



UDHG2 3018

3-11 3/4 (1213)
4-0 (1219)
3-11 1/2 (1207)
18 3/4 (476)



UDHG2 1620

3-11 3/4 (1213)
4-0 (1219)
3-11 1/2 (1207)
18 3/4 (476)



UDHG2 2020

3-11 3/4 (1213)
4-0 (1219)
3-11 1/2 (1207)
18 3/4 (476)



UDHG2 2420

3-11 3/4 (1213)
4-0 (1219)
3-11 1/2 (1207)
18 3/4 (476)



UDHG2 2620

3-11 3/4 (1213)
4-0 (1219)
3-11 1/2 (1207)
18 3/4 (476)



UDHG2 2820

3-11 3/4 (1213)
4-0 (1219)
3-11 1/2 (1207)
18 3/4 (476)



UDHG2 3020

4-3 3/4 (1314)
4-4 (1321)
4-3 1/2 (1308)
20 3/4 (527)



UDHG2 1622

4-3 3/4 (1314)
4-4 (1321)
4-3 1/2 (1308)
20 3/4 (527)



UDHG2 2022

4-3 3/4 (1314)
4-4 (1321)
4-3 1/2 (1308)
20 3/4 (527)



UDHG2 2422

4-3 3/4 (1314)
4-4 (1321)
4-3 1/2 (1308)
20 3/4 (527)



UDHG2 2622

4-3 3/4 (1314)
4-4 (1321)
4-3 1/2 (1308)
20 3/4 (527)



UDHG2 2822

4-3 3/4 (1314)
4-4 (1321)
4-3 1/2 (1308)
20 3/4 (527)



UDHG2 3022

4-7 3/4 (1416)
4-8 (1422)
4-7 1/2 (1410)
22 3/4 (578)



UDHG2 1624

4-7 3/4 (1416)
4-8 (1422)
4-7 1/2 (1410)
22 3/4 (578)



UDHG2 2024

4-7 3/4 (1416)
4-8 (1422)
4-7 1/2 (1410)
22 3/4 (578)



UDHG2 2424

4-7 3/4 (1416)
4-8 (1422)
4-7 1/2 (1410)
22 3/4 (578)



UDHG2 2624

4-7 3/4 (1416)
4-8 (1422)
4-7 1/2 (1410)
22 3/4 (578)



UDHG2 2824

4-7 3/4 (1416)
4-8 (1422)
4-7 1/2 (1410)
22 3/4 (578)



UDHG2 3024

4-11 3/4 (1518)
5-0 (1524)
4-11 1/2 (1511)
24 3/4 (629)



UDHG2 1626

4-11 3/4 (1518)
5-0 (1524)
4-11 1/2 (1511)
24 3/4 (629)



UDHG2 2026

4-11 3/4 (1518)
5-0 (1524)
4-11 1/2 (1511)
24 3/4 (629)



UDHG2 2426

4-11 3/4 (1518)
5-0 (1524)
4-11 1/2 (1511)
24 3/4 (629)



UDHG2 2626

4-11 3/4 (1518)
5-0 (1524)
4-11 1/2 (1511)
24 3/4 (629)



UDHG2 2826

4-11 3/4 (1518)
5-0 (1524)
4-11 1/2 (1511)
24 3/4 (629)



UDHG2 3026

5-3 3/4 (1619)
5-4 (1626)
5-3 1/2 (1613)
26 3/4 (679)



UDHG2 1628

5-3 3/4 (1619)
5-4 (1626)
5-3 1/2 (1613)
26 3/4 (679)



UDHG2 2028

5-3 3/4 (1619)
5-4 (1626)
5-3 1/2 (1613)
26 3/4 (679)



UDHG2 2428

5-3 3/4 (1619)
5-4 (1626)
5-3 1/2 (1613)
26 3/4 (679)



UDHG2 2628

5-3 3/4 (1619)
5-4 (1626)
5-3 1/2 (1613)
26 3/4 (679)



UDHG2 2828

5-3 3/4 (1619)
5-4 (1626)
5-3 1/2 (1613)
26 3/4 (679)



UDHG2 3028 E1

Details and Elevations not to scale.

- E Meets national egress code with interior shade, retractable screen or both.
- E1 The inclusion of an interior shade or a retractable screen will affect net clear opening resulting in the unit no longer meeting national egress code.
- E2 The inclusion of both interior shade and retractable screen will affect net clear opening resulting in the unit no longer meeting national egress code.

Please consult your local Marvin representative for more information.
































































For further details and drawings visit the 'Tools and Documents' section at Marvin.com.

MULTIPLE ASSEMBLY CONVERSIONS

ROUGH OPENING		MASONRY OPENING WITHOUT BMC	
Width	Height	Width	Height
Add all frame sizes plus 1" (25)	Add all frame sizes plus 1/2" (13)	Add all frame sizes plus 1/2" (13)	Add all frame sizes plus 1/4" (6)

Ultimate Double Hung G2: UDHG2

DOUBLE HUNG G2

MO (mm) RO (mm) FS (mm) DLO (mm)	3-1 3/4 (959) 3-2 1/4 (972) 3-1 1/4 (946) 30 47/64 (781)	3-5 3/4 (1060) 3-6 1/4 (1073) 3-5 1/4 (1048) 34 47/64 (882)	3-9 3/4 (1162) 3-10 1/4 (1175) 3-9 1/4 (1149) 38 47/64 (984)	4-1 3/4 (1264) 4-2 1/4 (1276) 4-1 1/4 (1251) 42 47/64 (1085)	4-5 3/4 (1365) 4-6 1/4 (1378) 4-5 1/4 (1353) 46 47/64 (984)	4-11 3/4 (1518) 5-0 1/4 (1530) 4-11 1/4 (1505) 52 47/64 (984)	5-5 3/4 (1670) 5-6 1/4 (1683) 5-5 1/4 (1657) 58 47/64 (1492)
2-7 3/4 (808) 2-8 (813) 2-7 1/2 (800) 10 3/4 (273)	 UDHG2 3212	 UDHG2 3612	 UDHG2 4012	 UDHG2 4412	 UDHG2 4812	 UDHG2 5412	 UDHG2 6012
2-11 3/4 (908) 3-0 (914) 2-11 1/2 (902) 12 3/4 (324)	 UDHG2 3214	 UDHG2 3614	 UDHG2 4014	 UDHG2 4414	 UDHG2 4814	 UDHG2 5414	 UDHG2 6014
3-3 3/4 (1010) 3-4 (1016) 3-3 1/2 (1003) 14 3/4 (375)	 UDHG2 3216	 UDHG2 3616	 UDHG2 4016	 UDHG2 4416	 UDHG2 4816	 UDHG2 5416	 UDHG2 6016
3-7 3/4 (1111) 3-8 (1118) 3-7 1/2 (1105) 16 3/4 (425)	 UDHG2 3218	 UDHG2 3618	 UDHG2 4018	 UDHG2 4418	 UDHG2 4818	 UDHG2 5418	 UDHG2 6018
3-11 3/4 (1213) 4-0 (1219) 3-11 1/2 (1207) 18 3/4 (476)	 UDHG2 3220	 UDHG2 3620	 UDHG2 4020	 UDHG2 4420	 UDHG2 4820	 UDHG2 5420	 UDHG2 6020
4-3 3/4 (1314) 4-4 (1321) 4-3 1/2 (1308) 20 3/4 (527)	 UDHG2 3222	 UDHG2 3622	 UDHG2 4022	 UDHG2 4422	 UDHG2 4822	 UDHG2 5422	 UDHG2 6022
4-7 3/4 (1416) 4-8 (1422) 4-7 1/2 (1410) 22 3/4 (576)	 UDHG2 3224	 UDHG2 3624	 UDHG2 4024	 UDHG2 4424	 UDHG2 4824	 UDHG2 5424	 UDHG2 6024
4-11 3/4 (1518) 5-0 (1524) 4-11 1/2 (1511) 24 3/4 (629)	 UDHG2 3226 E1	 UDHG2 3626 E1	 UDHG2 4026 E1	 UDHG2 4426 E1	 UDHG2 4826 E1	 UDHG2 5426 E1	 UDHG2 6026 E1
5-3 3/4 (1619) 5-4 (1626) 5-3 1/2 (1613) 28 3/4 (679)	 UDHG2 3228 E2	 UDHG2 3628 E2	 UDHG2 4028 E2	 UDHG2 4428 E2	 UDHG2 4828 E2	 UDHG2 5428 E2	 UDHG2 6028 E2

Details and Elevations not to scale.



- E Meets national egress code with interior shade, retractable screen or both.
- E1 The inclusion of an interior shade or a retractable screen will affect net clear opening resulting in the unit no longer meeting national egress code.
- E2 The inclusion of both interior shade and retractable screen will affect net clear opening resulting in the unit no longer meeting national egress code.

Please consult your local Marvin representative for more information.

For further details and drawings visit the 'Tools and Documents' section at Marvin.com.

DOUBLE HUNG TRANSOM G2

MO (mm) RO (mm) FS (mm) DLO (mm)	1-9 3/4 (552) 1-10 1/4 (565) 1-9 1/4 (540) 14 47/64 (347)	2-1 3/4 (654) 2-2 1/4 (667) 2-1 1/4 (641) 18 47/64 (476)	2-5 3/4 (756) 2-6 1/4 (768) 2-5 1/4 (743) 22 47/64 (577)	2-7 3/4 (806) 2-8 1/4 (819) 2-7 1/4 (794) 24 47/64 (628)	2-9 3/4 (857) 2-10 1/4 (870) 2-9 1/4 (845) 26 47/64 (679)
1-7 15/16 (506) 1-8 3/16 (513) 1-7 11/16 (500) 12 3/4 (324)	UDHTRG2 1612	UDHTRG2 2012	UDHTRG2 2412	UDHTRG2 2612	UDHTRG2 2812
2-3 15/16 (710) 2-4 3/16 (716) 2-3 11/16 (703) 20 3/4 (527)	UDHTRG2 1620	UDHTRG2 2020	UDHTRG2 2420	UDHTRG2 2620	UDHTRG2 2820
MO (mm) RO (mm) FS (mm) DLO (mm)	2-11 3/4 (908) 3-0 1/4 (921) 2-11 1/4 (895) 28 47/64 (730)	3-1 3/4 (959) 3-2 1/4 (972) 3-1 1/4 (946) 30 47/64 (781)	3-5 3/4 (1060) 3-6 1/4 (1073) 3-5 1/4 (1048) 34 47/64 (882)	3-9 3/4 (1162) 3-10 1/4 (1175) 3-9 1/4 (1149) 38 47/64 (984)	4-11 3/4 (1518) 5-0 1/4 (1530) 4-11 1/4 (1505) 52 47/64 (1339)
1-7 15/16 (506) 1-8 3/16 (513) 1-7 11/16 (500) 12 3/4 (324)	UDHTRG2 3012	UDHTRG2 3212	UDHTRG2 3612	UDHTRG2 4012	UDHTRG2 5412
2-3 15/16 (710) 2-4 3/16 (716) 2-3 11/16 (703) 20 3/4 (527)	UDHTRG2 3020	UDHTRG2 3220	UDHTRG2 3620	UDHTRG2 4020	UDHTRG2 5420

CONSTRUCTION DETAILS

Details and Elevations not to scale.

E These windows meet national Egress codes for fire evacuation. Local codes may differ.

Please consult your local Marvin representative for masonry openings that include casings and subsills.


For further details and drawings visit the 'Tools and Documents' section at Marvin.com.

Ultimate Double Hung Transom G2: UDHTRG2

Ultimate Double Hung Picture G2: UDHPG2



REPLACE
EXISTING
WINDOW WITH
SIMILAR DESIGN



REPLACE
EXISTING
WINDOW WITH
SIMILAR DESIGN



REPLACE
EXISTING
WINDOW WITH
SIMILAR DESIGN



REMOVE
EXISTING
WINDOW AND
PATCH STUCCO
WALL - SEE
NEXT IMAGE



REMOVE EXISTING
DOUBLE WINDOW AND
REPLACE WITH TRIPLE
WINDOW - SEE NEXT
IMAGE



REPLACE
EXISTING
WINDOW WITH
SIMILAR DESIGN



SIEGEL RESIDENCE ALTERATIONS

30 LEWIS ROAD
IRVINGTON, NEW YORK



INDEX OF DRAWINGS

T	TITLE SHEET	MK-2	SECOND FLOOR MILLWORK
A-100	FIRST FLOOR PLAN	E-100	ELECTRICAL PLANS
A-101	SECOND FLOOR PLAN		
MK-1	MILLWORK ELEVATIONS		

THIS DOCUMENT AND THE IDEAS AND DESIGN INCORPORATED HEREIN IS AN INSTRUMENT OF PROFESSIONAL SERVICE AND THE PROPERTY OF NEIL HAUCK ARCHITECTS, LLC, AND IS NOT TO BE USED IN WHOLE OR IN PART FOR ANY EXTENSION OF THIS PROJECT OR FOR ANY OTHER PROJECT WITHOUT THE WRITTEN AUTHORIZATION OF NEIL HAUCK ARCHITECTS, LLC.

ISSUED FOR	DATE
CLIENT REVIEW	12/30/2021
CLIENT REVIEW	1/11/2022
CLIENT REVIEW	2/10/2022
CLIENT REVIEW	3/26/2022
CLIENT REVIEW	4/13/2022
PRICING/PERMITS	5/11/2022
CLIENT REVIEW	6/6/2022
CLIENT REVIEW	6/8/2022
CLIENT REVIEW	6/10/2022
CLIENT REVIEW	7/11/2022
CLIENT REVIEW	7/27/2022
PRICING/PERMITS	8/9/2022
ARB	3/6/2023

NEIL HAUCK ARCHITECTS



203-655-9340 f:203-656-0213
859 Post Road Darien, CT 06820
neilhauckarchitects.com



PROJECT
SIEGEL RESIDENCE
ALTERATIONS

TITLE
TITLE SHEET

JOB NUMBER
2128

DATE
3/6/2023

T

ISSUED FOR	DATE
CLIENT REVIEW	12/30/2021
CLIENT REVIEW	1/11/2022
CLIENT REVIEW	2/10/2022
CLIENT REVIEW	3/26/2022
CLIENT REVIEW	4/13/2022
PRICING/PERMITS	5/11/2022
CLIENT REVIEW	6/6/2022
CLIENT REVIEW	6/8/2022
CLIENT REVIEW	6/10/2022
CLIENT REVIEW	7/11/2022
CLIENT REVIEW	7/27/2022
PRICING/PERMITS	8/9/2022
ARB	3/6/2023

REGISTERED ARCHITECT
Neil Tod Hauck
16559
STATE OF NEW YORK

A-100



ISSUED FOR	DATE
CLIENT REVIEW	12/30/2021
CLIENT REVIEW	1/11/2022
CLIENT REVIEW	2/10/2022
CLIENT REVIEW	3/26/2022
CLIENT REVIEW	4/13/2022
PRICING/PERMITS	5/11/2022
CLIENT REVIEW	6/6/2022
CLIENT REVIEW	6/10/2022
CLIENT REVIEW	7/11/2022
CLIENT REVIEW	7/27/2022
PRICING/PERMITS	8/9/2022
ARB	3/6/2023

NEIL HAUCK ARCHITECTS



203-655-9340 f:203-656-0213
859 Post Road Darien, CT 06820
neilhauckarchitects.com




PROJECT
SIEGEL RESIDENCE
ALTERATIONS

TITLE
SECOND FLOOR PLAN

JOB NUMBER
2128

DATE
3/6/23

A-101



1 SECOND FLOOR PLAN
1/4" = 1' - 0"

DOOR SCHEDULE - SECOND FLOOR													
LOCATION		TYPE		SLAB				HARDWARE		TRANSOM		REMARKS	
TAG #	ROOM NAME	STYLE		WIDTH	HEIGHT	THK.	MATERIAL	CORE	RATING	FINISH	STYLE	FINISH	
201	PLAYROOM CLOSET	INT - HINGED - SINGLE		2'-0"	5'-0"	1 3/4"							VERIFY HEIGHT IN FIELD
202	SAM'S CLOSET	INT - POCKET - SINGLE		2'-6"	6'-8"	1 3/8"							MATCH EXISTING DOOR STYLE
203	SAM'S BATH	INT - HINGED - SINGLE		2'-6"	6'-8"	1 3/4"							MATCH EXISTING DOOR STYLE
204	PRIMARY BATH	INT - HINGED - SINGLE		2'-6"	6'-8"	1 3/4"							MATCH EXISTING DOOR STYLE

NOTE: CONFIRM EXISTING DOOR HEIGHTS

THIS DOCUMENT AND THE IDEAS AND DESIGN INCORPORATED HEREIN IS AN INSTRUMENT OF PROFESSIONAL SERVICE AND THE PROPERTY OF NEIL HAUCK ARCHITECTS, LLC, AND IS NOT TO BE USED IN WHOLE OR IN PART FOR ANY EXTENSION OF THIS PROJECT OR FOR ANY OTHER PROJECT WITHOUT THE WRITTEN AUTHORIZATION OF NEIL HAUCK ARCHITECTS, LLC.

ISSUED FOR DATE

CLIENT REVIEW 12/30/2021

CLIENT REVIEW 1/11/2022

CLIENT REVIEW 2/10/2022

CLIENT REVIEW 3/26/2022

CLIENT REVIEW 4/13/2022

PRICING/PERMITS 5/11/2022

CLIENT REVIEW 6/6/2022

CLIENT REVIEW 6/10/2022

CLIENT REVIEW 7/11/2022

CLIENT REVIEW 7/27/2022

PRICING/PERMITS 8/9/2022

MILLWORK REVISIONS 3/1/2023

ARB 3/6/2023

NEIL HAUCK ARCHITECTS



203-655-9340 f:203-656-0213
859 Post Road Darien, CT 06820
neilhauckarchitects.com




PROJECT
SIEGEL RESIDENCE
ALTERATIONS

TITLE
MILLWORK ELEVATIONS

JOB NUMBER
2128


DATE
3/6/2023

MK-1




1 KITCHEN ELEVATION - RANGE

1/2"=1'-0"




2 KITCHEN ELEVATION - SINK

1/2"=1'-0"







3 KITCHEN ELEVATION - WHITE BOARD

1/2"=1'-0"




4 KITCHEN ELEVATION - FIREPLACE

1/2"=1'-0"




5 ISLAND

1/2"=1'-0"




7 POWDER ROOM

1/2"=1'-0"




8 POWDER ROOM

1/2"=1'-0"




9 MUDROOM CABINET


1/2"=1'-0"




1 PRIMARY BATH
1/2"=1'-0"




2 PRIMARY CLOSET
1/2"=1'-0"




3 PRIMARY CLOSET
1/2"=1'-0"




4 PRIMARY CLOSET
1/2"=1'-0"



5 PRIMARY CLOSET VESTIBULE
1/2"=1'-0"



6 SAM'S BATH and CLOSET
1/2"=1'-0"



7 LAUNDRY
1/2"=1'-0"

THIS DOCUMENT AND THE IDEAS AND DESIGN INCORPORATED HEREIN IS AN INSTRUMENT OF PROFESSIONAL SERVICE AND THE PROPERTY OF NEIL HAUCK ARCHITECTS, LLC, AND IS NOT TO BE USED IN WHOLE OR IN PART FOR ANY EXTENSION OF THIS PROJECT OR FOR ANY OTHER PROJECT WITHOUT THE WRITTEN AUTHORIZATION OF NEIL HAUCK ARCHITECTS, LLC.

ISSUED FOR	DATE
CLIENT REVIEW	12/30/2021
CLIENT REVIEW	1/11/2022
CLIENT REVIEW	2/10/2022
CLIENT REVIEW	3/26/2022
CLIENT REVIEW	4/13/2022
PRICING/PERMITS	5/11/2022
CLIENT REVIEW	6/6/2022
CLIENT REVIEW	6/10/2022
CLIENT REVIEW	7/11/2022
CLIENT REVIEW	7/27/2022
MILLWORK REVISIONS	3/1/2023
ARB	3/6/2023

NEIL HAUCK ARCHITECTS



203-655-9340 f:203-656-0213
859 Post Road Darien, CT 06820
neilhauckarchitects.com



PROJECT
SIEGEL RESIDENCE
ALTERATIONS

TITLE
SECOND FLOOR MILLWORK

JOB NUMBER
2128

DATE
3/6/2023



MK-2

ISSUED FOR	DATE
CLIENT REVIEW	12/30/2021
CLIENT REVIEW	1/11/2022
CLIENT REVIEW	2/10/2022
CLIENT REVIEW	3/26/2022
CLIENT REVIEW	4/13/2022
PRICING/PERMITS	5/11/2022
CLIENT REVIEW	6/6/2022
CLIENT REVIEW	6/10/2022
CLIENT REVIEW	7/11/2022
CLIENT REVIEW	7/27/2022
PRICING/PERMITS	8/9/2022
ARB	3/6/2023



NEIL HAUCK ARCHITECTS



203-655-9340 f:203-656-0213
859 Post Road Darien, CT 06820
neilhauckarchitects.com



1 FIRST FLOOR ELECTRICAL PLAN
1/4" = 1' - 0"



2 SECOND FLOOR ELECTRICAL PLAN
1/4" = 1' - 0"

SIEGLE RESIDENCE LIGHTING SCHEDULE						
SYMBOL	TYPE	DESCRIPTION	MANUFACTURER MODEL NUMBER	FINISH	LAMPING	REMARKS
	A	WALL SCONCE-INTERIOR	PROVIDED BY OWNER INSTALLED BY G.C.			
	C	1" RECESSED LED DOWNLIGHT	CLS EDLM-ADJ-30-3	WHITE W/ HAZE REFLECTOR	LED 3000K	
	C1	1" RECESSED LED DOWNLIGHT	CLS EDLM-ADJ-30-3	WHITE	LED 3000K	WET LOCATION
	D	SURFACE MOUNTED CLOSET LIGHT W/ LEXAN DIFFUSER	T.B.D.			
	F	PENDANT	PROVIDED BY OWNER INSTALLED BY G.C.			
	F	EXISTING FIXTURE				
	K	UNDERCABINET LIGHT	CSL ECL-24-WT-D-1	WHITE	15W L.E.D.	LENGTH BY G.C.
	EF	REMOTE EXHAUST FAN	FANTECH PB110	WHITE	N/A	REMOTE DUCTED EXHAUST FAN

PROJECT
SIEGEL RESIDENCE
ALTERATIONS

TITLE
ELECTRICAL PLANS

JOB NUMBER
2128

DATE
3/6/23